



# Structure Quality Analysis for NAME

Procheck analysis,RMSD calculation and structure superimposition are based on: all residues

NESG ID: NAME

PDB ID:

Deposition date:

Common Name:

Class:

Length (a.a.): 70



Organism:

SwissProt /

TrEMBL ID:

Oligomerization: monomer

Molecular weight: 7748



Secondary Structure Elements:

alpha helices: 5A-16A, 27A-32A, 39A-55A, 63A-74A

beta strands: 20N-21N, 60S-61S

Resolution: 2.100 Å R-factor: 0.227 R-free: 0.253

Structure Factors deposited in the PDB? no

Ramachandran Plot Summary from Procheck

Most favoured regions	Additionally allowed regions	Generously allowed regions	Disallowed regions
98.1%	1.9%	0.0%	0.0%

Ramachandran Plot Summary from Richardson Lab's Molprobit

Most favoured regions	Allowed regions	Disallowed regions	<a href="#">View plot</a>	<a href="#">View model summary</a>
97.3%	0%	2.7%		

## Global quality scores

Program	Verify3D	ProsaII (-ve)	Procheck (phi-psi)	Procheck (all)	MolProbit	Clashscore
-Raw score	0.35	0.40	0.27	0.25	13.98	
Z-score <sup>l</sup>	-1.77	-1.03	1.38	1.48	-0.87	



## Structure Quality Analysis for NAME


Close Contacts and Deviations from Ideal Geometry (from PDB validation software)

Number of close contacts (within 2.2 Å): 0

RMS deviation for bond angles: 1.2 °

RMS deviation for bond lengths: 0.005 Å


<sup>1</sup> With respect to mean and standard deviation for a set of 252 X-ray structures < 500 residues, of resolution ≤ 1.80 Å, R-factor ≤ 0.25 and R-free ≤ 0.28; a positive value indicates a 'better' score






## Structure Quality Analysis for NAME

Procheck G-factor for all dihedral angles






Verify3D score over window of 7 residues





## Structure Quality Analysis for NAME





**Residue Plot of Ramachandran analysis(based on data from Richardson Lab's Molprobit)**

**References:**

1. Luthy R, Bowie J U and Eisenberg D, "Assessment of protein models with three-dimensional profiles", Nature 356 (1992): 83-85
2. Bowie J U, Luthy R and Eisenberg D, "A Method to Identify Protein Sequences that Fold into a Known Three-Dimensional Structure", Science 253 (1991): 164-169
3. Sippl M J, "Recognition of Errors in Three-Dimensional Structures of Proteins", Proteins 17 (1993): 355-362
4. Sippl M J, "Calculation of Conformation Ensembles from Potentials of Mean Force", J Mol Biol 213 (1990): 859-883
5. Laskowski R Ai et al, "AQUA and PROCHECK\_NMR: Programs for checking the quality of proteins structures solved by NMR", J Biomolec NMR 8 (1996): 477-486
6. Laskowski R A et al "PROCHECK: a program to check the stereochemical quality of protein structures" J Appl Cryst, 26 (1993): 283-291
7. Word J M et al, "Exploring steric constrains on protein mutations using MAGE / PROBE", Prot Sci 9 (2000): 2251-2259
8. Word J M et al, "Asparagine and Glutamine: Using Hydrogen Atom Contacts in the Choice of Side-chain Amide Orientation", J Mol Biol 285 (1999): 1735-1747
9. Word J M et al, "Visualizing and Quantifying Molecular Goodness-of-Fit: Small-probe Contact Dots with Explicit Hydrogens", J Mol Biol 285 (1999): 1711-1733



10. Tejero R and Montelione G T, "PDBStat", unpublished
11. Luthy R, McLachlan A D and Eisenberg D, "Secondary Structure-Based Profiles: Use of Structure-Conserving Scoring Tables in Searching Protein Sequence Databases for Structural Similarities", *Proteins* 10 (1991): 229-239
12. Richardson D C, Richardson J S, "The kinemage: a tool for scientific communication", *Prot Sci* 1(1) (1992): 3-9
13. Koradi, R, et al, "MOLMOL: a program for display and analysis of macromolecular structures ", *J Mol Graphics* 14 (1996): 51-55.
14. Güntert, P, Mumenthaler, C & Wüthrich, K "Torsion angle dynamics for NMR structure calculation with the new program DYANA", *J. Mol. Biol* 273 (1997): 283-298
15. Lovell S C et al, "Structure validation by Calpha geometry: phi,psi and Cbeta deviation" *Proteins* (2003) 50: 437-450
16. Kabsch W, Sander C, "Dictionary of protein secondary structure: pattern recognition of hydrogen-bonded and geometrical features", *Biopolymers* (1983) 22: 2577-2637
17. Bagaria, A., Jaravine, V., Huang, Y.J., Montelione, G.T., and Guntert, P. "Protein structure validation by generalized linear model root-mean-square deviation prediction". *Protein Sci* 21(2012), 229-238.

Analysed by on May-10-2013 using PSVS 1.3



## Software Environment

### Software for structure quality evaluation:

DSSP	DsspCMBI-April-2000
pdbstat	PdbStat-5.4 Version
AutoAssign	Version 2.4.0 (uses only AVS scripts)
RPF analysis	ASDP-1.0
PDB validation	Version 8.061
Verify3D	Version 1.0 corrected by Aneerban
ProsaII	Prosa2003
PROCHECK	Version 3.5.4
MolMol	Version 2K.2

### MolProbity programs:

cluster	1999
clashlistcluster	1999 (corrected by Aneerban)
mage	Version 6.35.040409
prekin	Version 6.35.040406



## Structure Quality Analysis for NAME

reduce	Version 2.14
probe	Version 2.6

### Other Software:

PERL	Version 5.8.0
convert	ImageMagick 5.5.6
ps2pdf	Ghostscript 7.05
htmldoc	v1.9
gnuplot	Version 3.7 patchlevel 3
jpegtopnm	year 2000
pnmcrop	year 2000
pnmtojpeg	year 2000