Structure Quality Analysis for NAME

Analyses performed for user defined residues.
The constraints analysis is based on the following files: NOE distance constraints file.
Procheck analysis,RMSD calculation and structure superimposition are based on: User defined residues

NESG ID:	NAME
PDB ID:	
Deposition date:	
Common Name:	
Class:	
Length (a.a.):	122
Organism:	
SwissProt / TrEMBL ID:	
# models:	20
Oligomerization:	monomer
Molecular weight:	13652



Secondary Structure Elements:
alpha helices:
beta strands: 15L-20L, 26E-31E, 68R-73R, 86U-88U, 51R-56R, 43U-48U, 100L-106L, 110U-116U

Total number of restricting constraints per restrained residue:	13.0
Restricting long range constraints per restrained residue:	5.7

Distance violations per model
Calculated using sum over r^-6

0.1 - 0.2 Å	0.2 - 0.5 Å	> 0.5 Å
1.9	5.95	10.85

FIDs deposited in the BMRB? no

RPF Scores

Recall	Precision	F-measure	DP-score
0.95	0.933	0.941	0.789

RMSD	*All residues*	*Ordered residues*[2]	*Selected residues*[3]
All backbone atoms	3.9 Å	0.8 Å	0.8 Å
All heavy atoms	4.2 Å	1.2 Å	1.2 Å

Ramachandran Plot Summary for selected residues[3] from Procheck

Most favoured regions	*Additionally allowed regions*	*Generously allowed regions*	*Disallowed regions*
88.9%	11.1%	0.0%	0.0%

Ramachandran Plot Summary for selected residues[3] from Richardson Lab's Molprobity

Most favoured regions	*Allowed regions*	*Disallowed regions*	View plot	View model summary
98.8%	1.2%	0%		

Global quality scores

Program	*Verify3D*	*ProsaII (-ve)*	*Procheck (phi-psi)[3]*	*Procheck (all)[3]*	*MolProbity Clashscore*
-Raw score	0.40	0.48	-0.51	-0.07	3.53
Z-score[1]	-0.96	-0.70	-1.69	-0.41	0.92

Generalized linear model RMSD prediction: 1.89

Close Contacts and Deviations from Ideal Geometry (from PDB validation software)

Number of close contacts (within 1.6 &Aring for H atoms, 2.2 &Aring for heavy atoms):	0
RMS deviation for bond angles:	0.7 °
RMS deviation for bond lengths:	0.011 Å

[1] With respect to mean and standard deviation for a set of 252 X-ray structures < 500 residues, of resolution <= 1.80 Å, R-factor <= 0.25 and R-free <= 0.28; a positive value indicates a 'better' score

[2]Order residues:
15A-32A,34A-37A,42A-47A,53A-57A,60A-73A,75A-79A,85A-91A,100A-106A,108A-116A

[3]Selected residues: 15A-32A,34A-37A,42A-47A,53A-72A,75A-79A,85A-91A,101A-106A,110A-116A







RPF Precision Map




Procheck G-factor for phi-psi
G-factor
2
1
0
-1
-2
-3
-4
20
40
60
80
100
120
Residue number


Procheck G-factor for all dihedral angles
G-factor
2
1
0
-1
-2
-3
-4
20
40
60
80
100
120
Residue number


Verify3D score over window of 7 residues
Verify3D score
1
0.5
0
-0.5
20
40
60
80
100
120
Residue number
Model 1
Model 2
Model 3
Model 4
Model 5
Model 6
Model 7
Model 8
Model 9
Model 10
Model 11
Model 12
Model 13
Model 14
Model 15
Model 16







Residue Plot of Ramachandran anlysis(based on data from Richardson Lab's Molprobity)

References:

1. Luthy R, Bowie J U and Eisenberg D, "Assessment of protein models with three-dimensional profiles", Nature 356 (1992): 83-85
2. Bowie J U, Luthy R and Eisenberg D, "A Method to Identify Protein Sequences that Fold into a Known Three-Dimensional Structure", Science 253 (1991): 164-169
3. Sippl M J, "Recognition of Errors in Three-Dimensional Structures of Proteins", Proteins 17 (1993): 355-362
4. Sippl M J, "Calculation of Conformation Ensembles from Potentials of Mean Force", J Mol Biol 213 (1990): 859-883
5. Laskowski R Ai et al, "AQUA and PROCHECK_NMR: Programs for checking the quality of proteins structures solved by NMR", J Biomolec NMR 8 (1996): 477-486
6. Laskowski R A et al "PROCHECK: a program to check the stereochemical quality of protein structures" J Appl Cryst, 26 (1993): 283-291
7. Word J M et al, "Exploring steric constrains on protein mutations using MAGE / PROBE", Prot Sci 9 (2000): 2251-2259
8. Word J M et al, "Asparagine and Glutamine: Using Hydrogen Atom Contacts in the Choice of Side-chain Amide Orientation", J Mol Biol 285 (1999): 1735-1747
9. Word J M et al, "Visualizing and Quantifying Molecular Goodness-of-Fit: Small-probe Contact Dots with Explicit Hydrogens", J Mol Biol 285 (1999): 1711-1733
10. Tejero R and Montelione G T, "PDBStat", unpublished
11. Luthy R, McLachlan A D and Eisenberg D, "Secondary Structure-Based Profiles: Use of Structure-Conserving Scoring Tables in Searching Protein Sequence Databases for Structural Similarities", Proteins 10 (1991): 229-239
12. Richardson D C, Richardson J S, "The kinemage: a tool for scientific communication", Prot Sci 1(1) (1992): 3-9
13. Koradi, R, et al, "MOLMOL: a program for display and analysis of macromolecular structures ", J Mol Graphics 14 (1996): 51-55.
14. Güntert, P, Mumenthaler, C & Wüthrich, K "Torsion angle dynamics for NMR structure calculation with the new program DYANA", J. Mol. Biol 273 (1997): 283-298
15. Lovell S C et al, "Structure validation by Calpha geometry: phi,psi and Cbeta deviation" Proteins (2003) 50: 437-450
16. Kabsch W, Sander C, "Dictionary of protein secondary structure: pattern recognition of hydrogen-bonded and geometrical features", Biopolymers (1983) 22: 2577-2637
17. Bagaria, A., Jaravine, V., Huang, Y.J., Montelione, G.T., and Guntert, P. "Protein structure validation by generalized linear model root-mean-square deviation prediction". Protein Sci 21(2012), 229-238.

Analysed by on May-10-2013 using PSVS 1.3

Software Environment

Software for structure quality evaluation:

DSSP	DsspCMBI-April-2000
pdbstat	PdbStat-5.4 Version
AutoAssign	Version 2.4.0 (uses only AVS scripts)
RPF analysis	ASDP-1.0
PDB validation	Version 8.061
Verify3D	Version 1.0 corrected by Aneerban
ProsaII	Prosa2003
PROCHECK	Version 3.5.4
MolMol	Version 2K.2

MolProbity programs:

cluster	1999
clashlistcluster	1999 (corrected by Aneerban)
mage	Version 6.35.040409
prekin	Version 6.35.040406
reduce	Version 2.14
probe	Version 2.6

Other Software:

PERL	Version 5.8.0
convert	ImageMagick 5.5.6
ps2pdf	Ghostscript 7.05
htmldoc	v1.9
gnuplot	Version 3.7 patchlevel 3
jpegtopnm	year 2000
pnmcrop	year 2000
pnmtojpeg	year 2000