



Structure Quality Analysis for NAME

Procheck analysis,RMSD calculation and structure superimposition are based on: all residues

NESG ID: NAME

PDB ID:

Deposition date:

Common Name:

Class:

Length (a.a.): 92


Organism:

SwissProt /

TrEMBL ID:

Oligomerization: monomer

Molecular weight: 9803



Secondary Structure Elements:

alpha helices: 11A-22A, 27A-34A, 41A-48A, 52A-64A, 84A-98A

beta strands: 39G-40G, 76G-81G, 68L-73L

Resolution: 2.100 Å R-factor: 0.238 R-free: 0.252

Structure Factors deposited in the PDB? no

Ramachandran Plot Summary from Procheck

<i>Most favoured regions</i>	<i>Additionally allowed regions</i>	<i>Generously allowed regions</i>	<i>Disallowed regions</i>
96.3%	3.7%	0.0%	0.0%

Ramachandran Plot Summary from Richardson Lab's Molprobit

<i>Most favoured regions</i>	<i>Allowed regions</i>	<i>Disallowed regions</i>	View plot	View model summary
96.7%	3.3%	0%		

Global quality scores

Program	<i>Verify3D</i>	<i>ProsaII (-ve)</i>	<i>Procheck (phi-psi)</i>	<i>Procheck (all)</i>	<i>MolProbit</i>	<i>Clashscore</i>
<i>-Raw score</i>	0.37	0.66	0.30	0.10	7.81	
<i>Z-score¹</i>	-1.44	0.04	1.49	0.59	0.19	

Close Contacts and Deviations from Ideal Geometry (from PDB validation software)



Structure Quality Analysis for NAME


Number of close contacts (within 2.2 Å): 0

RMS deviation for bond angles: 1.1 °


RMS deviation for bond lengths: 0.010 Å

¹ With respect to mean and standard deviation for a set of 252 X-ray structures < 500 residues, of resolution ≤ 1.80 Å, R-factor ≤ 0.25 and R-free ≤ 0.28 ; a positive value indicates a 'better' score

Procheck G-factor for phi-psi




Procheck G-factor for all dihedral angles






Structure Quality Analysis for NAME

Verify3D score over window of 7 residues





ProsaII (-ve) score over window of 7 residues





Structure Quality Analysis for NAME



Residue Plot of Ramachandran analysis(based on data from Richardson Lab's Molprobity)

References:

1. Luthy R, Bowie J U and Eisenberg D, "Assessment of protein models with three-dimensional profiles", Nature 356 (1992): 83-85
2. Bowie J U, Luthy R and Eisenberg D, "A Method to Identify Protein Sequences that Fold into a Known



- Three-Dimensional Structure", *Science* 253 (1991): 164-169
3. Sippl M J, "Recognition of Errors in Three-Dimensional Structures of Proteins", *Proteins* 17 (1993): 355-362
 4. Sippl M J, "Calculation of Conformation Ensembles from Potentials of Mean Force", *J Mol Biol* 213 (1990): 859-883
 5. Laskowski R A et al, "AQUA and PROCHECK_NMR: Programs for checking the quality of proteins structures solved by NMR", *J Biomolec NMR* 8 (1996): 477-486
 6. Laskowski R A et al "PROCHECK: a program to check the stereochemical quality of protein structures" *J Appl Cryst*, 26 (1993): 283-291
 7. Word J M et al, "Exploring steric constraints on protein mutations using MAGE / PROBE", *Prot Sci* 9 (2000): 2251-2259
 8. Word J M et al, "Asparagine and Glutamine: Using Hydrogen Atom Contacts in the Choice of Side-chain Amide Orientation", *J Mol Biol* 285 (1999): 1735-1747
 9. Word J M et al, "Visualizing and Quantifying Molecular Goodness-of-Fit: Small-probe Contact Dots with Explicit Hydrogens", *J Mol Biol* 285 (1999): 1711-1733
 10. Tejero R and Montelione G T, "PDBStat", unpublished
 11. Luthy R, McLachlan A D and Eisenberg D, "Secondary Structure-Based Profiles: Use of Structure-Conserving Scoring Tables in Searching Protein Sequence Databases for Structural Similarities", *Proteins* 10 (1991): 229-239
 12. Richardson D C, Richardson J S, "The kinemage: a tool for scientific communication", *Prot Sci* 1(1) (1992): 3-9
 13. Koradi, R, et al, "MOLMOL: a program for display and analysis of macromolecular structures ", *J Mol Graphics* 14 (1996): 51-55.
 14. Güntert, P, Mumenthaler, C & Wüthrich, K "Torsion angle dynamics for NMR structure calculation with the new program DYANA", *J. Mol. Biol* 273 (1997): 283-298
 15. Lovell S C et al, "Structure validation by Calpha geometry: phi,psi and Cbeta deviation" *Proteins* (2003) 50: 437-450
 16. Kabsch W, Sander C, "Dictionary of protein secondary structure: pattern recognition of hydrogen-bonded and geometrical features", *Biopolymers* (1983) 22: 2577-2637
 17. Bagaria, A., Jaravine, V., Huang, Y.J., Montelione, G.T., and Guntert, P. "Protein structure validation by generalized linear model root-mean-square deviation prediction". *Protein Sci* 21(2012), 229-238.

Analysed by on May-10-2013 using PSVS 1.3



Software Environment



Software for structure quality evaluation:

DSSP	DsspCMBI-April-2000
pdbstat	PdbStat-5.4 Version
AutoAssign	Version 2.4.0 (uses only AVS scripts)
RPF analysis	ASDP-1.0
PDB validation	Version 8.061
Verify3D	Version 1.0 corrected by Aneerban
ProsaII	Prosa2003
PROCHECK	Version 3.5.4
MolMol	Version 2K.2

MolProbit programs:

cluster	1999
clashlistcluster	1999 (corrected by Aneerban)
mage	Version 6.35.040409
prekin	Version 6.35.040406
reduce	Version 2.14
probe	Version 2.6

Other Software:

PERL	Version 5.8.0
convert	ImageMagick 5.5.6
ps2pdf	Ghostscript 7.05
htmldoc	v1.9
gnuplot	Version 3.7 patchlevel 3
jpegtopnm	year 2000
pnmcrop	year 2000
pnmtojpeg	year 2000