



Structure Quality Analysis for NAME

Analyses performed for user defined residues.

The constraints analysis is based on the following files: NOE distance constraints file. Angular constraints file. H-bond constraints file.

Procheck analysis, RMSD calculation and structure superimposition are based on: User defined residues

NESG ID: NAME

PDB ID:

Deposition date:

Common Name:

Class:

Length (a.a.): 109


Organism:

SwissProt /
TrEMBL ID:

models: 20

Oligomerization: monomer

Molecular
weight: 12107



Secondary Structure Elements:

alpha helices: 11A-20A, 32A-35A, 37A-47A, 53A-63A, 67A-82A, 96A-108A

beta strands:

Total number of restricting constraints per restrained residue: 13.2

Restricting long range constraints per restrained residue: 2.4

Distance violations per model

Calculated using sum over r^{-6}

0.1 - 0.2 Å 0.2 - 0.5 Å > 0.5 Å

14 25.15 52.45

Dihedral angle violations per model

1 - 10 ° > 10 °

1 0.95

FIDs deposited in the BMRB? no

RPF Scores



Structure Quality Analysis for NAME

| | | | |
|----------|-----------|-----------|----------|
| Recall | Precision | F-measure | DP-score |
| 0.944444 | 0.906255 | 0.925 | 0.743478 |

| | | | |
|---------------------------|---------------------|-------------------------------------|--------------------------------------|
| RMSD | <i>All residues</i> | <i>Ordered residues²</i> | <i>Selected residues³</i> |
| <i>All backbone atoms</i> | 3.1 Å | 0.8 Å | 0.8 Å |
| <i>All heavy atoms</i> | 3.6 Å | 1.1 Å | 1.1 Å |

Ramachandran Plot Summary for selected residues³ from Procheck

| | | | |
|------------------------------|-------------------------------------|-----------------------------------|---------------------------|
| <i>Most favoured regions</i> | <i>Additionally allowed regions</i> | <i>Generously allowed regions</i> | <i>Disallowed regions</i> |
| 97.0% | 3.0% | 0.0% | 0.0% |

Ramachandran Plot Summary for selected residues³ from Richardson Lab's Molprobit

| | | | | |
|------------------------------|------------------------|---------------------------|---------------------------|------------------------------------|
| <i>Most favoured regions</i> | <i>Allowed regions</i> | <i>Disallowed regions</i> | View plot | View model summary |
| 98.6% | 1.4% | 0% | | |

Global quality scores

| | | | | | |
|----------------------------|-----------------|----------------------|---------------------------------------|-----------------------------------|--------------------------------|
| Program | <i>Verify3D</i> | <i>ProsaII (-ve)</i> | <i>Procheck (phi-psi)³</i> | <i>Procheck (all)³</i> | <i>MolProbitity Clashscore</i> |
| <i>-Raw score</i> | 0.41 | 0.88 | 0.52 | 0.56 | 3.71 |
| <i>Z-score¹</i> | -0.80 | 0.95 | 2.36 | 3.31 | 0.89 |

Generalized linear model RMSD prediction: 0.92

Close Contacts and Deviations from Ideal Geometry (from PDB validation software)

| | |
|---|---------|
| Number of close contacts (within 1.6 Å for H atoms, 2.2 Å for heavy atoms): | 0 |
| RMS deviation for bond angles: | 0.6 ° |
| RMS deviation for bond lengths: | 0.009 Å |



¹ With respect to mean and standard deviation for a set of 252 X-ray structures < 500 residues, of resolution <= 1.80 Å, R-factor <= 0.25 and R-free <= 0.28; a positive value indicates a 'better' score

²Order residues: 11A-19A,31A-63A,67A-83A,95A-108A

³Selected residues: 11A-19A,31A-63A,67A-83A,95A-108A




Structure Quality Analysis for NAME






Structure Quality Analysis for NAME




RPF Precision Map






Structure Quality Analysis for NAME

Procheck G-factor for phi-psi





Procheck G-factor for all dihedral angles





Structure Quality Analysis for NAME





Residue Plot of Ramachandran analysis(based on data from Richardson Lab's Molprobity)

References:

1. Luthy R, Bowie J U and Eisenberg D, "Assessment of protein models with three-dimensional profiles", Nature 356 (1992): 83-85
2. Bowie J U, Luthy R and Eisenberg D, "A Method to Identify Protein Sequences that Fold into a Known Three-Dimensional Structure", Science 253 (1991): 164-169
3. Sippl M J, "Recognition of Errors in Three-Dimensional Structures of Proteins", Proteins 17 (1993): 355-362
4. Sippl M J, "Calculation of Conformation Ensembles from Potentials of Mean Force", J Mol Biol 213 (1990): 859-883
5. Laskowski R A et al, "AQUA and PROCHECK_NMR: Programs for checking the quality of proteins structures solved by NMR", J Biomolec NMR 8 (1996): 477-486
6. Laskowski R A et al "PROCHECK: a program to check the stereochemical quality of protein structures" J Appl Cryst, 26 (1993): 283-291
7. Word J M et al, "Exploring steric constraints on protein mutations using MAGE / PROBE", Prot Sci 9 (2000): 2251-2259
8. Word J M et al, "Asparagine and Glutamine: Using Hydrogen Atom Contacts in the Choice of Side-chain Amide Orientation", J Mol Biol 285 (1999): 1735-1747
9. Word J M et al, "Visualizing and Quantifying Molecular Goodness-of-Fit: Small-probe Contact Dots with Explicit Hydrogens", J Mol Biol 285 (1999): 1711-1733
10. Tejero R and Montelione G T, "PDBStat", unpublished
11. Luthy R, McLachlan A D and Eisenberg D, "Secondary Structure-Based Profiles: Use of Structure-Conserving Scoring Tables in Searching Protein Sequence Databases for Structural Similarities", Proteins 10 (1991): 229-239



12. Richardson D C, Richardson J S, "The kinemage: a tool for scientific communication", Prot Sci 1(1) (1992): 3-9
13. Koradi, R, et al, "MOLMOL: a program for display and analysis of macromolecular structures ", J Mol Graphics 14 (1996): 51-55.
14. Güntert, P, Mumenthaler, C & Wüthrich, K "Torsion angle dynamics for NMR structure calculation with the new program DYANA", J. Mol. Biol 273 (1997): 283-298
15. Lovell S C et al, "Structure validation by Calpha geometry: phi,psi and Cbeta deviation" Proteins (2003) 50: 437-450
16. Kabsch W, Sander C, "Dictionary of protein secondary structure: pattern recognition of hydrogen-bonded and geometrical features", Biopolymers (1983) 22: 2577-2637
17. Bagaria, A., Jaravine, V., Huang, Y.J., Montelione, G.T., and Guntert, P. "Protein structure validation by generalized linear model root-mean-square deviation prediction". Protein Sci 21(2012), 229-238.

Analysed by on May-11-2013 using PSVS 1.3



Software Environment

Software for structure quality evaluation:

| | |
|----------------|---------------------------------------|
| DSSP | DsspCMBI-April-2000 |
| pdbstat | PdbStat-5.4 Version |
| AutoAssign | Version 2.4.0 (uses only AVS scripts) |
| RPF analysis | ASDP-1.0 |
| PDB validation | Version 8.061 |
| Verify3D | Version 1.0 corrected by Aneerban |
| ProsaII | Prosa2003 |
| PROCHECK | Version 3.5.4 |
| MolMol | Version 2K.2 |

MolProbity programs:

| | |
|------------------|------------------------------|
| cluster | 1999 |
| clashlistcluster | 1999 (corrected by Aneerban) |
| mage | Version 6.35.040409 |
| prekin | Version 6.35.040406 |
| reduce | Version 2.14 |
| probe | Version 2.6 |



Other Software:

| | |
|-----------|--------------------------|
| PERL | Version 5.8.0 |
| convert | ImageMagick 5.5.6 |
| ps2pdf | Ghostscript 7.05 |
| htmldoc | v1.9 |
| gnuplot | Version 3.7 patchlevel 3 |
| jpegtopnm | year 2000 |
| pnmcrop | year 2000 |
| pnmtojpeg | year 2000 |